

# The world's most intelligent PCs

## featuring Dell Optimizer<sup>16</sup>

New Latitude devices feature Dell Optimizer — built-in artificial intelligence that learns how you work and continuously adapts to your style to create a smarter, more-personal experience. The result? Improved system responsiveness, New Latitude devices feature Dell Optimizer a built-in artificial intelligence software that learns and adapts to your behavior to create a smarter, more personalized user experience. It automatically improves application performance, battery run time and more in the background, so you have fewer disruptions no matter where you're working.



### ExpressResponse

Dell Optimizer uses built-in AI and Intel® Adaptix™ Technology to learn how you typically use your favorite applications, continuously improving and applying settings – quietly, in the background - so you get the most nimble performance possible.



### ExpressCharge

Eliminate the stress of low battery. This technology learns your day-to-day charging habits and ensures your battery operates at its full potential. If you can't charge your system right away, it will subtly adjust settings to preserve resources, such as dimming your screen or turning-off Bluetooth when not in use. When you connect to power ExpressCharge Boost will gain a 35% charge in about 20 minutes<sup>19</sup> or up to 80% in an hour with ExpressCharge<sup>20</sup>.



### Intelligent Audio

Dell Optimizer's Intelligent Audio will automatically tune your system by adjusting background noise, managing speech volume, and refining overall sound experience. Every conference call will feel like you're in the room no matter where you are.

# Recommended accessories

LATITUDE 5310 | 5410 | 5510

## ON-THE-GO



DELL NOTEBOOK  
POWER BANK PLUS  
(18,000 MAH) | PW7015L

Even when you're not near an outlet, you'll have enough power for your laptop and cell phone with the Dell Power Companion.



DELL MOBILE ADAPTER  
SPEAKERPHONE | MH3021P

World's first multiport adapter with integrated speakerphone offers an all-in-one connectivity and conferencing solution.<sup>23</sup>



DELL PRO HYBRID BRIEFCASE  
BACKPACK 15 | PO1520HB

Protect your laptop from impact with this earth friendly backpack that is lined with EVA foam cushioning. Easily convert from backpack to briefcase mode and travel with ease.



DELL MOBILE PRO WIRELESS MOUSE | MS5120W

Connect your mouse conveniently via 2.4GHz wireless or Bluetooth and enhance your productivity with programmable shortcut buttons and 36 months<sup>21</sup> of battery life.



DELL USB-C MOBILE ADAPTER | DA300

Connect your Latitude to almost any device with a convenient 6-in-1 compact adapter.

## AT THE DESK



DELL THUNDERBOLT  
DOCK | WD19TB

Work at full speed with Dell's powerful Thunderbolt Dock. Charge your system faster, support up to two 4K displays and connect to your peripherals via a single cable.



DELL MULTI-DEVICE WIRELESS  
KEYBOARD AND MOUSE  
COMBO | KM7120W

Designed to work seamlessly across 3 devices, this compact keyboard mouse combo keeps your desk clutter-free and lets you stay productive with up to 36 months<sup>22</sup> of battery life.



DELL 27 MONITOR | P2720D

See more and do more with this 27" QHD monitor that expands your workspace and gives you a better view of all your important tasks.



DELL PRO STEREO HEADSET | UC350

Hear every word clearly on your next call with the Dell Pro Stereo Headset, optimized to provide in-person call quality.



DELL DUAL MONITOR STAND | MDS19

This space saving stand mounts up to two 27-inch monitors, providing the screen real estate you need to be most productive.

# Built for business

## Experience a new way to work with Dell Technologies Unified Workspace. Intelligence built in. Modernization built on.

We know that having the right device is just the start to a great workday. Employees need intelligent, intuitive and responsive experiences that allow them to work productively and without interruption. According to research, 1 out of every 4 users would question their job and the company they work for if they had a negative experience with their technology.<sup>1</sup> Dell Technologies Unified Workspace is transforming the employee experience and ensuring IT has proactive, predictive and automated solutions to deliver on the promise of a modern workday, while simplifying their ability to deploy, secure, manage and support their environment.



ProDeploy in the Unified Workspace allows IT to move away from traditional, high-touch, manual deployment, and instead, ship devices preconfigured with company apps and settings from the Dell factory directly to their end users—having end users up and working on day one.



Dell Trusted Devices provide a foundation to a modern workforce environment with invisible and seamless protection to ensure smarter, faster experiences. End users stay productive and IT stays confident with modern security solutions for the Dell Trusted Device.



Dell Client Command Suite + VMware Workspace ONE offers integrated capabilities that deliver a unified endpoint management experience for IT, enabling them to manage firmware, OS, and apps from one console, while also creating seamless experiences for end users.



ProSupport resolves hardware issues up to 11x faster than the competition. ProSupport for PCs offers 24x7 access to in-region ProSupport engineers who contact IT when critical issues arise,<sup>2</sup> so you can focus on what's next, not what just happened.

ProSupport Plus helps IT stay a step ahead and virtually eliminate unplanned downtime due to hardware issues. You get all the capabilities of ProSupport, as well as AI-driven alerts to prevent failures and repairs for accidents.<sup>3</sup>

<sup>1</sup> ESG Research Report. 2019 Digital Work Survey, December 2019.

<sup>2</sup> Based on a Principled Technologies test report, "Spend Less Time and Effort Troubleshooting Laptop Hardware Failures" dated April 2018. Testing commissioned by Dell, conducted in the United States. Actual results will vary. Full report: <http://facts.pt/L52XKM>

<sup>3</sup> Based on a Principled Technologies test report, "Dell ProSupport Plus with SupportAssist warns you about hardware issues so you can fix them before they cause downtime" dated April 2019. Testing commissioned by Dell, conducted in the United States. Actual results will vary. Full report: <http://facts.pt/Oxvze8>. Hardware issues detected by SupportAssist include hard drives, solid state drives, batteries and fans.

# Features & technical specifications

LATITUDE 5310 | 5410 | 5510

Feature	Technical Specifications	Technical Specifications	Technical Specifications
Model Number <sup>1</sup>	5310	5410	5510
Processor <sup>1</sup>	10 <sup>th</sup> Generation Intel® Core™ Processors up to i7 vPro 6-Core	10 <sup>th</sup> Generation Intel® Core™ Processors up to i7 vPro 6-Core	10 <sup>th</sup> Generation Intel® Core™ Processors up to i7 vPro 6-Core
Operating System <sup>1</sup>	Microsoft® Windows 10 Pro 64 bit Microsoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit	Microsoft® Windows 10 Pro 64 bit Microsoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit NeoKylin 6.0 64 bit (May 2019)	Microsoft® Windows 10 Pro 64 bit Microsoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit
Memory Options <sup>1,2,3</sup>	DDR4 3200 MHz Non-ECC SDRAM operates at 2666 MHz with Intel® 10 <sup>th</sup> Generation Core i processors 2 slots supporting up to 32GB	DDR4 3200 MHz Non-ECC SDRAM operates at 2666 MHz with Intel® 10 <sup>th</sup> Generation Core i processors 2 slots supporting up to 32GB	DDR4 3200 MHz Non-ECC SDRAM operates at 2666 MHz with Intel® 10 <sup>th</sup> Generation Core i processors 2 slots supporting up to 32GB
Chipset <sup>1</sup>	Integrated with the Processor	Integrated with the Processor	Integrated with the Processor
Intel Responsiveness Technologies <sup>1,7</sup>	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
Graphics <sup>1,13</sup>	Intel® UHD Graphics	Intel® UHD Graphics AMD Radeon™ RX 640	Intel® UHD Graphics AMD Radeon™ RX 640
Display <sup>1</sup>	13.3" HD (1366 x 768) Anti-Glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	14.0" HD (1366 x 768) Anti-Glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	15.6" HD (1366 x 768) Anti-Glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back
	13.3" FHD WVA (1920 x 1080) Anti-Glare (16:9) WLED SLP, 300 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	14.0" FHD WVA (1920 x 1080) Anti-Glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	15.6" FHD WVA (1920 x 1080) Anti-Glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back
	13.3" FHD WVA (1920 x 1080) Embedded Touch with Anti-Glare (16:9) WLED, 300 nits, Carbon Fiber Reinforced Polymer LCD Back	14.0" FHD WVA (1920 x 1080) Embedded Touch Display with Anti-Glare (16:9) WLED, 220 nits, Carbon Fiber Reinforced Polymer LCD Back	15.6" FHD WVA (1920 x 1080) Embedded Touch Display with Anti-Glare (16:9) WLED, 220 nits, Carbon Fiber Reinforced Polymer LCD Back
		14.0" FHD WVA (1920 x 1080) Anti-Glare (16:9) WLED SLP, 300 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	15.6" FHD WVA (1920 x 1080) Anti-Glare (16:9) WLED, 300 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back
		14.0" FHD WVA (1920 x 1080) Anti-Glare (16:9) Privacy WLED, 300 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back	15.6" FHD WVA (1920 x 1080) Anti-Glare (16:9) WLED, 300 nits, non-touch, Aluminum LCD Back
			15.6" FHD WVA (1920 x 1080) Embedded Touch Display with Anti-Glare (16:9) WLED, 220 nits, Aluminum LCD Back
Storage <sup>1,3</sup>	SSD M.2 2230 PCIe Gen 3 NVMe up to 512GB SSD M.2 2280 PCIe Gen 3 x4 NVMe up to 1TB SSD M.2 2280 PCIe Gen 3 x4 NVMe up to 512GB OPAL SED	HDD up to 1TB, OPAL SED options SSD M.2 2230 PCIe Gen 3 NVMe up to 512GB SSD M.2 2280 PCIe Gen 3 NVMe up to 1TB SSD M.2 2280 PCIe Gen 3 NVMe up to 512GB OPAL SED	HDD up to 1TB, OPAL SED options SSD M.2 2230 PCIe Gen 3 NVMe up to 512GB SSD M.2 2280 PCIe Gen 3 NVMe up to 1TB SSD M.2 2280 PCIe Gen 3 NVMe up to 512GB OPAL SED
Security <sup>1</sup>	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Face IR camera (Windows Hello compliant)  Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Face IR camera (Windows Hello compliant)  Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello compliant fingerprint reader in power button Optional Face IR camera (Windows Hello compliant)  Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

# Features & technical specifications

LATITUDE 5310 | 5410 | 5510

## Feature

### Security<sup>1</sup>

## Technical Specifications

3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  
4: Touch Fingerprint Reader(in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

Dell Client Command Suite  
Dell BIOS Verification  
Optional Dell Endpoint Security and Management Software  
VMware Carbon Black Endpoint Standard  
VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and Response  
Dell Encryption Enterprise  
Dell Encryption Personal  
Carbonite  
VMware Workspace ONE  
Absolute® Endpoint Visibility & Control  
Netskope  
Dell Supply Chain Defense

## Technical Specifications

3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  
4: Touch Fingerprint Reader(in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

Dell Client Command Suite  
Dell BIOS Verification  
Optional Dell Endpoint Security and Management Software  
VMware Carbon Black Endpoint Standard  
VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and Response  
Dell Encryption Enterprise  
Dell Encryption Personal  
Carbonite  
VMware Workspace ONE  
Absolute® Endpoint Visibility & Control  
Netskope  
Dell Supply Chain Defense

## Technical Specifications

3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  
4: FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  
5: Touch Fingerprint Reader (in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification  
6: Touch FIPS 201 Fingerprint Reader, FIPS 201 Contacted Smart Card, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

Dell Client Command Suite  
Dell BIOS Verification  
Optional Dell Endpoint Security and Management Software  
VMware Carbon Black Endpoint Standard  
VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and Response  
Dell Encryption Enterprise  
Dell Encryption Personal  
Carbonite  
VMware Workspace ONE  
Absolute® Endpoint Visibility and Control  
Netskope  
Dell Supply Chain Defense

### Docking<sup>1</sup>

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately)  
Dell Dock- WD19 (optional, sold separately)

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately)  
Dell Dock- WD19 (optional, sold separately)

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately)  
Dell Dock- WD19 (optional, sold separately)

### Optical Drive

External Options Only

External Options Only

External Options Only

### Multimedia<sup>1</sup>

High Quality Speakers  
Universal Audio jack  
Noise reducing array microphones  
Optional HD RGB Camera with Dell Privacy Shutter  
Optional IR Camera with Dell Privacy Shutter  
Optional No Camera  
Skype For Business Certified

High Quality Speakers  
Universal Audio jack  
Noise reducing array microphones  
Optional HD RGB Camera with Dell Privacy Shutter  
Optional IR Camera with Dell Privacy Shutter  
Optional No Camera  
Skype For Business Certified

High Quality Speakers  
Universal Audio jack  
Noise reducing array microphones  
Optional HD RGB Camera with Dell Privacy Shutter  
Optional IR Camera with Dell Privacy Shutter  
Optional No Camera  
Skype For Business Certified

### Battery Options<sup>1,5</sup>

3 cell 42 WHr ExpressCharge™ Capable Battery  
4 cell 60 WHr ExpressCharge™ Capable Battery  
4 cell 60 WHr Long Life Battery (includes 3yr limited hardware warranty)

3 cell 42 WHr ExpressCharge™ Capable Battery (UMA only)  
3 cell 51 WHr ExpressCharge™ Capable Battery  
4 cell 68 WHr ExpressCharge™ Capable Battery  
4 cell 68 WHr Long Life Battery (includes 3yr limited hardware warranty)

3 cell 42 WHr ExpressCharge™ Capable Battery (UMA only)  
3 cell 51 WHr ExpressCharge™ Capable Battery  
4 cell 68 WHr ExpressCharge™ Capable Battery  
4 cell 68 WHr Long Life Battery (includes 3yr limited hardware warranty)

### Power Options<sup>1</sup>

65W adapter, 7.4mm barrel  
90W adapter, 7.4mm barrel  
65W adapter, Type-C

65W adapter, 7.4mm barrel  
90W adapter, 7.4mm barrel  
65W adapter, Type-C  
90W adapter, Type-C

65W adapter, 7.4mm barrel  
90W adapter, 7.4mm barrel  
65W adapter, Type-C  
90W adapter, Type-C

# Features & technical specifications

LATITUDE 5310 | 5410 | 5510

Feature	Technical Specifications	Technical Specifications	Technical Specifications
<b>Connectivity Options<sup>1,13</sup></b>	10/100/1000 Ethernet <b>Wireless LAN Options:</b> Qualcomm QCA61X4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 5.0 Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1 <b>Optional Mobile Broadband Options:<sup>8,10</sup></b> Intel XMM 7360 Global LTE-Advanced <b>Optional eSim</b>	10/100/1000 Ethernet <b>Wireless LAN Options:</b> Qualcomm QCA61X4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 5.0 Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1 <b>Optional Mobile Broadband Options:<sup>8,10</sup></b> Intel XMM 7360 Global LTE-Advanced <b>Optional eSim</b>	10/100/1000 Ethernet <b>Wireless LAN Options:</b> Qualcomm QCA61X4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 5.0 Intel® Wi-Fi 6 AX201 2x2 802.11ax 160MHz + Bluetooth 5.1 <b>Optional Mobile Broadband Options:<sup>8,10</sup></b> Intel XMM 7360 Global LTE-Advanced <b>Optional eSim</b>
<b>Ports, Slots &amp; Chassis<sup>1</sup></b>	1x USB Type C™ 3.2 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 2x USB 3.2 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x Flip-Down RJ-45 1x external uSIM card tray (optional) 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button Wedge Lock slot	1x USB Type C™ 3.2 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 3x USB 3.2 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x Flip-Down RJ-45 1x external uSIM card tray (optional) 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button Wedge Lock slot	1x USB Type C 3.2 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 3x USB 3.2 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x Flip-Down RJ-45 1x external uSIM card tray (optional) 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button 1x Optional Touch FIPS 201 Fingerprint Reader in Palmrest Wedge Lock slot
<b>Dimensions &amp; Weight<sup>1,15</sup></b>	Width: 12.0" / 305.7mm Height (Non-Touch): 0.69" / 17.53mm (front) 0.78" / 19.72mm (rear) Depth: 8.16" / 207.5mm Starting weight: 2.69 lbs / 1.22 kg (42Whr battery, M.2 SSD, non touch HD LCD, UMA)*	Width: 12.7" / 323.05mm Height (Non-Touch): 0.8" / 20.26mm (front) 0.83" / 21.18mm (rear) Depth: 8.5" / 216mm Starting weight: 3.26 lbs / 1.48 kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*	Width: 14.1" / 359.1mm Height (Non-Touch): 0.83" / 20.98mm (front) 0.88" / 22.42mm (rear) Depth: 9.3" / 236.25mm Starting weight: 4.01 lbs / 1.82 kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*
<b>Regulatory and Environmental Compliance<sup>1</sup></b>	Regulatory Model: P97G Regulatory Type: P97G002 ENERGY STAR compliant configurations available EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free <sup>9</sup> Trade Agreements Acts(TAA) configurations available	Regulatory Model: P98G Regulatory Type: P98G007 ENERGY STAR compliant configurations available EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free <sup>9</sup> Trade Agreements Acts(TAA) configurations available	Regulatory Model: P80F Regulatory Type: P80F002 ENERGY STAR compliant configurations available EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free <sup>9</sup> Trade Agreements Acts(TAA) configurations available
<b>Input<sup>1</sup></b>	Single Pointing non-backlit Keyboard, Spill Resistant Single Pointing backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad	Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard (Japanese and Brazilian Portuguese only), Spill Resistant Single Pointing Backlit Keyboard for SafeScreen, Spill Resistant Dual Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad	Single Pointing non-backlit Keyboard, Spill Resistant Dual Pointing backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad 10 Key Numeric Keypad
<b>Systems Management<sup>1</sup></b>	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command   Update, Dell Command   Power Manager   Dell Optimizer	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command   Update, Dell Command   Power Manager   Dell Optimizer	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command   Update, Dell Command   Power Manager   Dell Optimizer
<b>Warranty and Service<sup>1</sup></b>	Limited Hardware Warranty <sup>4</sup> Standard 1 year Mail-in Service after Remote Diagnosis <sup>11</sup> optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available <sup>12</sup>	Limited Hardware Warranty <sup>4</sup> Standard 1 year Mail-in Service after Remote Diagnosis <sup>11</sup> optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available <sup>12</sup>	Limited Hardware Warranty <sup>4</sup> Standard 1 year Mail-in Service after Remote Diagnosis <sup>11</sup> optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available <sup>12</sup>
<b>Peripheral Ecosystem<sup>1</sup></b>	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse



LATITUDE 5310 | 5410 | 5510

# Scalability that gets smarter



1 Offering may vary by country and by configuration

2 A 64-bit operating system is required to support 4GB or more of system memory.

3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

4 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty)

5 Battery support is dependent upon graphics support. Check technical guides for detailed support

6 COMPUTRACE Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at [www.absolute.com/en/about/legal/agreements](http://www.absolute.com/en/about/legal/agreements).

7 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required

8 Wireless antenna available only at time of system purchase

9 Dell Latitude 5000 Series are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the iNEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%).

10 Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.

11 Mail-in Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty ([www.dell.com/warranty](http://www.dell.com/warranty)) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

12 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicedescriptions](http://www.dell.com/servicedescriptions).

13 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.

15 Weights vary depending on configuration and manufacturing variability.

16 Based on Dell analysis, November 2019.

17 Based on Dell analysis using publicly available data, January 2020. The smallest refers to the total surface area.

18 Nearly 3X Faster: 802.11ax 2x2 160 MHz enables 2402 Mbps maximum theoretical data rates, ~3X (2.8X) faster than standard 802.11ac 2x2 80 MHz (867 Mbps) as documented in IEEE 802.11 wireless standard specifications, and require the use of similarly configured 802.11ax wireless network routers. WPA3 Wi-Fi Security Features: The Wi-Fi Alliance industry consortium will certify Wi-Fi 6 products for compliance with the IEEE 802.11ax standard, and will require WPA3 security certification as a pre-requisite to ensure the latest in Wi-Fi security features. WPA3 Simplified Passwords: WPA3 uses Simultaneous Authentication of Equals (SAE) to replace the Pre-Shared Key (PSK) exchange protocol used by WPA2. SAE more securely handles initial key exchange and uses forward secrecy, which makes it more resistant to offline decryption attacks and provides stronger password-based authentication. WPA3 Enhanced Protection: Additional network protection comes from the equivalent of 192-bit cryptographic strength across an 802.11ax network and is superior to the 128-bit AES encryption utilized with WPA2. Claim D is based on industry standard WAP3 certification which parameters are broadly available <https://www.wi-fi.org/discover-wi-fi/security>

19 Based on Dell internal analysis, February 2019. Within Dell Power Manager software, selecting either the Default mode of Adaptive Charge or ExpressCharge can recharge system battery from 0% up to 35% within 20 minutes when system is powered-off and battery temperature is between 16-45 degrees C. With ExpressCharge mode enabled, the system battery can then continue charging up to 80% within 60 minutes. After charging has reached 80% capacity, charging speed will return to normal speed. Recommended for use with the provided Dell power adapter; not recommended with a smaller capacity power adapter. Charging time may vary +/-10% due to system tolerance.

20 Based on Dell internal analysis, February 2019. When used with Dell systems with ExpressCharge. Within Dell Power Manager software, selecting ExpressCharge can recharge system battery from 0% up to 80% within 60 minutes. After charging has reached 80% capacity, charging speed will return to normal speed. Recommended for use with the provided Dell power adapter; not recommended with a smaller capacity power adapter. Charging time may vary +/-10% due to system tolerance.

21 Based on Dell internal analysis of battery life usage model calculations, Nov 2019. Results vary depending on usage and computing conditions.

22 Based on Dell internal analysis of battery life usage model calculations and 3 million keystrokes per year, Nov 2019. Results vary depending on usage and computing conditions.

23 Based on Dell analysis, March 2020.